



Adv. No. 2024/SR-CReSES/WBDSTBT/01(Amended)

Date: 07.03.2024

INTERVIEW FOR THE POSITION OF JUNIOR RESEARCH FELLOW

The following post is to be filled up on purely temporary basis under the WBDSTBT-funded project entitled "**Attachment Facility for Intra oral Visualisation of Real Time Image During Dental Procedures**" (File No: STBT-11012(16)/4/2023-ST SEC, Duration: 3 years) under the supervision of Dr. Sugato Ghosh, Centre for Renewable and Sustainable Energy Studies, JIS Institute of Advanced Studies and Research (JIASR), JIS University, and Dr. Paromita Mazumdar, Conservative Dentistry & Endodontics Guru Nanak Institute of Dental Sciences & Research (GNIDSR).

Posts	Number of Vacancies	Qualification(s)	Salary	Age
Junior Research Fellow	01	Essential Qualifications: BE/BTech/ME / MTech / MSc in Mechatronics / Robotics / Electronics / Mechanical / Instrumentation or related fields from recognized universities / institutes with minimum of 55% marks Desirable Skills: Knowledge in 3D printing, camera communication	Rs. 25000/- per month (consolidated)	Not more than 35 years as on 16.02.2024

For initial screening, candidates who are interested in this work and willing to pursue PhD are requested to email following documents by **March 14, 2024** to Dr. Sugato Ghosh (sugato@jiasr.org) and Dr. Paromita Mazumdar (head_cons.gnidsr@jisgroup.org).

1. An application addressed to the Director, JIASR Kolkata.
2. One photograph.
3. CV in the format mentioned below.
4. Scanned copies of mark sheets and certificates.

CV Format: (a) Name (block letters), (b) Father's/Mother's name, (c) Date of birth, (d) Complete postal address, (e) E-mail, (f) Mobile no., (g) Academic qualifications (degree, board/university, subjects, CGPA or % of marks), (h) Research/work experience and publications, (i) Any other relevant information.

N.B.:

1. Age is relaxable for 5 years for SC/ST/PH/Female candidates as per Government of India norms.
2. The appointment will be on contract basis.
3. **Candidates who have already applied to the earlier advertisement need not apply again.**